


# LEXMARK<sup>TM</sup> Multifunction X Family



Print



Copy



Distribute



Fax



Scan



Automate



On Site Service

## One single solution for all your Business needs



# A typical day at the office...

## Complex needs are met easily and quickly with Lexmark solutions



### 9:12 E-mail an important document:

- An important full-colour market-share analysis just arrived by the post, and the other offices need to see it right away. Just scan it through the X520, select the addresses and email it directly from the device in the format they need. Can you get any quicker than that ?

### 10:00 Printing, stapling and hole punching:

- Your 20-page presentation for the 10:30 meeting has just been updated and is ready for printing. But will you manage with 30 handouts of 20 pages? You bet! Just select your finishing, start your printing on the X820e and come back at 10:15. Your documents will be ready and waiting for you, stapled and hole-punched. The only thing YOU still have to do is carry them to the meeting room!

### 12:33 An important fax arrives

- There is no lunch break for the Lexmark X522s. It has just received a 40-page fax from a major customer. The high quality of the output makes it possible to read even the fine printing easily.

### 13:00 Automatic document distribution

- A pile of purchase orders just arrived, and eight different people need their copies before the orders can be fulfilled. The high-speed X820e scans all the documents, while OCR registers selected key fields such as "ZIP-code" and "account number." The documents are then sent to everyone in electronic format and archived instantly.

### 15:08 Colour copying

- Your boss reads an office-efficiency magazine article and finds it so interesting that he wants every sales manager to get a copy at the next meeting. No problem ! Thanks to the X750e impressive near-photo quality, the colour is as convincing as the content !

### 18:00 Printing from SAP

- It's time to go home and hundreds of customer invoices still have to be printed and sent out. Don't panic. The X620e works overtime for you ! Interfacing with your SAP system, the invoices can be printed overnight and sent straight to the mailbox. Additional copies are sent to the sales team, the accounting department and the operations manager. All this with one smooth process and without any complicated programming.

Optra, Optra Forms, OptraImage, MarkVision, MarkNet, RAMSmart, ImageQuick, Lexmark and Lexmark with diamond design are trademarks of Lexmark International, Inc. registered in the United States and/or other countries. Prebate is a trademark of Lexmark International Inc. PCL is a trademark of Hewlett-Packard Company registered in the United States. Postscript is a trademark of Adobe Systems Incorporated registered in the United States. All other trademarks are the properties of their respective owners. Changes, errors and printing mistakes excepted

INFOLASH • Le mont Royal - 21, avenue du Québec - 91951 Courtabouef - France

**LEXMARK**  
Passion for printing ideas.™


[www.lexmark.com](http://www.lexmark.com)

APRIL 2002

# With Lexmark's multifunction solutions you are always a step ahead

## Powerful multifunction features

- Centralised management for easy administration
- Optimised workflow for effective communication
- Ease of use for maximised productivity
- Cost-effective solution for optimal budget control
- Flexible financing (specific by country)
- Onsite support and service



### How to make life easier in a few short steps

The printer is in the next room, the fax machine is next to the secretary, the copier is around the corner and the scanner is down the hall. Sound familiar? Imagine just how much time you and your team spend every day moving back and forth between these machines.

Now with Lexmark multifunction solutions you can accomplish the same, and much more, in a lot fewer steps! From a single, easy-to-use operator panel, you can print, fax, scan, copy and email documents in a flash. Which means you'll have a lot more time to do what you do best – add value!

### Reduce costs

With Lexmark multifunction solutions you can increase the quality, speed and reliability of your document workflow and lower your operating costs.

You are guaranteed fast output at an affordable price per page. A range of features helps you economise toner, paper and electricity. Furthermore, by using standardised supplies you reduce storage costs and increase availability.

### Experience more flexibility

Whether your output needs are colour or mono, high-volume or low, laser or inkjet, Lexmark offers a complete range of multifunction products to give the solution that's perfect for you. Already using a Lexmark network printer? You can easily upgrade it to an MFP and take full advantage of Lexmark's multifunctionality.

**Lexmark's multifunction products process your tasks quickly (up to 45 pages/minute), economically (low price per page) and with an excellent quality.**

# 7 advantages that make life so much easier

## 1 Ease of use

All Lexmark multifunction products are equipped with an easy to use operator panel that gives you quick and intuitive access to every powerful function. The environment-friendly supplies are easy to change. Real time information can be provided by first class network applications to assist you in administrating your MFPs.

## 2 Optimised workflow

With the Lexmark MFPs, you now have one access point to all your document and distribution needs - including print, fax, copy, scan and email. Additionally, the automation of repetitive office tasks will help your workgroup achieve increased efficiency and reliability.

## 3 Rationalised business processes

Whether your documents are in hardcopy or electronic format, Lexmark's networked multifunction solutions integrate them into your digital workflows. You can achieve the next level of automation with the optional LDD software. Its powerful features not only analyse document contents but automatically distribute documents in the formats and to the destinations you choose.

## 4 Flexible financing

Customised financing solutions with flexible monthly rates offer you optimal control of your budget.

## 5 on site service

The Lexmark onsite support (of up to 5 years) ensures you high availability with low maintenance, so your multifunction product is always available when you need it.

## 6 Low total cost of ownership

Lexmark multifunction solutions provide a wide range of cost-saving features, like Toner Saver mode, Energy Star, duplex and multi-up. By merging all your various workflow requirements into one device, you'll use a standardised set of supplies for simple ordering, increased availability and more!

## 7 Easy network integration and simple device management

With a powerful Ethernet Adapter, Lexmark network multifunction solutions integrate easily into virtually any network environment. State-of-the-art management tools let you remotely configure, monitor and manage your printers and multifunction products. You can now respond quickly to your maintenance needs, ensuring your department the most productive workflow possible.

The optional **Lexmark Document Distributor** for the network multifunction solutions lets you simplify complex and repetitive distribution tasks across your company.

**MarkVision Professional** gives you on-screen access to configure, monitor and manage your laser printers and MFPs.






# Which Lexmark multifunction solution suits your needs ?

## Laser Technology



### Lexmark X520

- Up to 20 ppm for 1 to 10 users
- Print, fax, scan, copy and email
- Small footprint
- Network connection standard for seamless integration



### Lexmark X522s

- Up to 25 ppm for 3 to 15 users
- Print, fax, scan, copy and email
- Small footprint
- Network connection standard for seamless integration



### Lexmark X620e

- Up to 30 ppm for 15-40+ users
- Print, fax, scan, copy and email
- Easy to use colour touch-screen interface
- Network connection standard for seamless integration
- Password protection for faxing and emailing



### Lexmark X820e

- Up to 45 ppm for 15-40+ users
- Print, fax, scan, copy and email
- Easy to use colour touch-screen interface
- A3 capability
- Duplex as standard for economical output
- Network connection standard for seamless integration
- Optional finishing with stapling and hole punching

## Colour Laser Technology



### Lexmark X720

- High quality colour output
- Print, fax, scan, copy and email
- Up to 24 ppm in mono and up to 6 ppm in colour
- Automatic duplex scanning
- Network connection standard for seamless integration



### Lexmark X750e

- Up to 20 ppm for 10-35+ users
- Print, fax, scan, copy and email
- Easy to use colour touch-screen interface
- Duplex as standard for economical output
- Password protection for faxing and emailing
- Optional finishing with stapling and hole punching \*

## Inkjet Technology



### Lexmark X73

- Printing, scanning and copying on a PC connection
- 2,400 dpi photo quality
- Scanning with 48-bit colour depth
- Space saving design
- Compatible with Windows and Mac




### Lexmark X83

- 12 pages/minute
- Stand-alone copy functions without PC connection
- Printing, scanning, copying and PC faxing capabilities
- Direct send feature, via e-mail for all kinds of documents
- Space saving design

\* Contact Lexmark for availability information.

# Turn your Lexmark printer into a complete multifunction solution

Multifunction attachment options upgrade your current printer for a cost-effective path to Lexmark's multifunction solutions. You'll have one centralized system that streamlines your various office needs such as printing, copying, faxing, scanning, e-mailing and dramatically optimises your workflow.



## Lexmark X242 MFP option

- Single-pass colour scanner
- Up to 10/7 ppm scan speeds (mono/colour)
- Integrated user interface
- 10/100BaseTX Fast Ethernet Network Adapter
- Designed for the T Family printers and Optra C710



## Lexmark X443 MFP option


- Single-pass colour scanner
- Up to 21/10 ppm scan speed (mono/colour)
- Automatic duplex scanning
- Integrated user interface
- 10/100BaseTX Fast Ethernet Network Adapter
- Designed for the T Family printers and Lexmark C720

## The innovative touch! Advanced technology and multifunction capabilities at your fingertips



## Lexmark X7500 MFP Option

- A3 mono scanner
- Up to 40 pages/minute scan speed
- Integrated easy to use colour touch screen interface
- Automatic duplex scanning
- Comprehensive copy functions
- Designed for the Lexmark W820n and W820dn



## Lexmark X4500 MFP Option

- A4 ADF colour scanner
- Up to 23 ppm mono/14 ppm colour
- Integrated easy to use colour touch screen interface
- Single pass duplex scanning
- Comprehensive copy functions
- Designed for Lexmark T Series and C750 (network models only)

# Lexmark Multifunction X Family

	X520	X522s	X620e MFP	X820e	X720
<b>Technology</b>	Monochrome laser	Monochrome laser	Monochrome laser	Monochrome laser	colour laser
<b>Paper Supply</b>					
Standard (sheets)	250 + 100 (MPT)	500 + 100 (MPT)	500 sheet tray + 1X100 multipurpose tray	2 X 500 + 2500 + 35 (MPF)	250
Maximum (sheets)	3850	4100	2600 (with standard output only)		3535
Supported weights	60 to 176 g/m <sup>2</sup>	60 to 176 g/m <sup>2</sup>	60 to 176 g/m <sup>2</sup>	60 to 163 g/m <sup>2</sup>	68 to 105 g/m <sup>2</sup>
Supported standard sizes	A4, JIS B5, Letter, Legal, Executive	A4, JIS B5, Letter, Legal, Executive	A4, A5, JISS B5, Letter, Legal, Executive, Folio and Universal	A3, A4, A5, B5, B4, Letter, Legal, Executive, Folio	A4, A5, B5, Letter, Legal, Executive
<b>Output : Finishing</b>					
Standard paper output	250	250	500	500	250
Maximum paper output	250	250	2350 (with standard input only)	3550	250
Finishing	No	No	Optional StapleSmart finisher	Optional 3250-sheet finisher for stapling, hole punching and offsetting	no
<b>System Performance</b>					
System standard memory	40 MB	32 MB	32 MB + 128 MB in scanner controller	64 MB	64 MB
Hard disk	No	Yes, Standard	Yes, Standard	Yes, Standard	Yes, Standard
System processor	200 MHz	250 MHz	300 MHz + 350 MHz in scanner unit	360 MHz	266 MHz
<b>Connectivity / Network Management</b>					
Standard ports	Parallel, 10/100BaseTx Ethernet, USB	Parallel, 10/100BaseTx Ethernet, USB	10/100Base Tx Ethernet and USB	10/100Base Tx Ethernet and USB	Parallel, 10/100BaseTx Ethernet
Optional ports	Token Ring**, Ethernet, Serial	Token Ring**, Local Talk, Serial, Infrared, USB, Coax, Twinax	Token Ring**, Local Talk, Serial, Infrared, Coax, Twinax, Fiber Optic	Token Ring**, Local Talk, Serial, Infrared, USB, Coax, Twinax	Token Ring**, Local Talk, Serial, Infrared, USB, Coax, Twinax
Operating system***	Microsoft Win NT/95/98/2000/Me/XP, Novell Netware, IBM OS/2, Unix, Warp/LAN Server, TCP/IP, MAC OS	Microsoft Win NT/95/98/2000/Me/XP, Novell Netware, IBM OS/2, Unix, Warp/LAN Server, TCP/IP, MAC OS	Microsoft Win NT/95/98/2000/Me/XP, Novell Netware, IBM OS/2, Unix, Linux, TCP/IP, MAC OS	Microsoft Win NT/95/98/2000 /Me/XP, Novell Netware, IBM OS/2, Warp/LAN Server, UNIX, TCP/IP, Apple, MacOS	Microsoft Win NT/95/98/2000 /Me/XP, Novell Netware, IBM OS/2, Warp/LAN Server, UNIX, TCP/IP, Apple, MacOS
Network management software	MarkVision Professional	MarkVision Professional	MarkVision Professional	MarkVision Professional	MarkVision Professional
Embedded web server for configuration	Yes	Yes	Yes	Yes	Yes
<b>Network Printing</b>					
Speed	Up to 20 ppm	Up to 25 ppm	Up to 30 ppm	Up to 45 ppm	up to 24/6 ppm (mono/colour)
Time to first print	< 9 sec.	< 9 sec.	< 10 sec.	< 7 sec.	15/22,5 sec (mono/colour)
Max resolution	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	600 x 600 or 1200 IQ	600 x 600 or 2400 IQ
Data streams	PSL3, PCL6, PPDS	PSL3, PCL6, PPDS	PSL3, PCL6, PPDS	PSL3, PCL6, PPDS	PSL3, PCL5c, PCL6
Duplex	Optional	Optional	Optional	Standard	optional
Confidential print	Yes	Yes	Yes	Yes	Yes
Account tracking	Yes	Yes	No	No	Yes
Electronic collation	Yes	Yes	Yes	Yes	Yes
<b>Digital Copying</b>					
Speed	Up to 19 ppm	Up to 23 ppm	Up to 30 ppm	Up to 45 ppm	up to 24/6 ppm (mono/colour)
Time to first Copy	14 seconds	12,5 seconds	13 seconds	< 7 sec.	21/41 sec (mono/colour)
Copy select	1 to 999	1 to 999	1 to 999	1 to 999	1 to 999
Content selection	Text, Mixed, Photo	Text, Mixed, Photo	Text, Mixed, Photo	Text/Mixed//Photo	Text/Mixed//Photo
Reduce/Enlarge	50% to 200%	50% to 200%	25% to 400%	25-400%	50-200%
Automatic duplex	No	Optional	Optional	1:1, 1:2, 2:1, 2:2	optional
Multi-up copying	2-up, 4-up, portrait or landscape	2-up, 4-up, portrait or landscape	2-up, 4-up, portrait or landscape	2-up, 4-up, portrait or landscape	2-up, 4-up, portrait or landscape
Electronic collation	yes	yes	yes	yes	Yes
Watermarks	No	No	draft, confidential, urgent, copy	draft, confidential, urgent, copy	No
<b>Fax Capabilities</b>					
Modem Speed	33.6 kb	33.6 kb	33.6 kb	33.6 kb	33.6 kb
Receive fax	yes	yes	yes	Yes	Yes
Receive to memory	yes	yes	yes	Yes	Yes
Send hard copy fax	Flatbed or ADF	Flatbed or ADF	Flatbed or ADF	Flatbed or ADF	Flatbed or ADF
Send soft copy fax	from the PS3 print driver	from the PS3 print driver	from the PS3 print driver	From the PS3 print driver	From the PS3 print driver
Send to fax server	Yes	Yes	Yes	Yes	Yes
Memory send	yes	yes	yes	Yes	Yes
Group fax	yes	yes	yes	Yes	Yes
Shortcut keys	up to 245 shortcuts	up to 245 shortcuts	up to 9999 shortcuts	up to 9999 shortcuts	up to 245 shortcuts
Selectable quality modes	Standard, fine, super fine, ultra fine	Standard, fine, super fine, ultra fine	Standard, fine, super fine, extra fine	Standard, Fine, Superfine, UltraFine	Standard, Fine, Superfine, UltraFine
Retry	yes	yes	yes	Yes	Yes
Transmission and receive log	yes	yes	yes	Yes	Yes
Delayed send	No	No	Set time and date	Set time and date	No
Automatic and customizable cover sheets	No	No	Yes	Yes	No
<b>Scanning Capabilities</b>					
Scan to FTP server	yes	Yes	yes	yes	Yes
Scan to e-mail	yes	yes	yes	yes	Yes
Scan to workstation	yes	yes	yes	yes	Yes
LDAP integration	yes, via internal web browser	yes, via internal web browser	Directly on the panel	Directly on the panel	via internal web browser
Lexmark Document Distributor	yes, sold separately	yes, sold separately	Yes (LDD 2.0 or greater), sold separately	Yes (LDD 2.0 or greater), sold separately	Yes, sold separately
Custom scan profiles	yes	yes	Yes	Yes	Yes
Shortcut keys	up to 245 shortcuts	up to 245 shortcuts	up to 9999 shortcuts	up to 9999 shortcuts	up to 245 shortcuts
File formats	JPEG, TIFF, PDF, PS2	JPEG, TIFF, PDF, PS2	JPEG, Multi-Page TIFF, PDF, PostScript	JPEG, TIFF, PDF, PS2	JPEG, TIFF, PDF, PS2
<b>Scanner Functional Specifications</b>					
Scanner type	Simplex colour	Single-pass duplex colour	Single-pass duplex colour	reversing duplex	Single-pass duplex colour
Scanning speed (mono / colour)	up to 10/7 ppm	up to 21/10 ppm	23/14 simplex, 44/22 duplex	40 ipm simplex, 23 duplex	21/10 ppm
Maximum optical resolution	600 x 600 dpi	300 x 600 dpi	300 x 300 dpi	600 x 600 dpi	300 x 600 dpi
Document feeding mode	Flatbed and ADF built-in	Flatbed and ADF built-in	Flatbed and ADF built-in	Flatbed and ADF built-in	Flatbed and ADF built-in
ADF capacity	25 sheets	50 sheets	50 sheets	50 sheets	50 sheets
Original document size:					
- ADF minimum (mm)	114,3 x 139,7	114,3 x 139,7	140 x 140	53 x 74 (A8)	114,3 x 139,7
- ADF maximum (mm)	216 x 356	216 x 356	297 x 355	297 x 432 (A3)	216 x 356 (legal)
- Flatbed maximum (mm)	210 x 297 (A4)	210 x 297 (A4)	210 x 297 (A4)	297 x 432 (A3)	210 x 297 (A4)
Original document thickness	0,05 to 0,15 mm	0,05 to 0,15 mm	up to 120 g/m <sup>2</sup>	35 to 120 g/m <sup>2</sup>	0,05 to 0,15 mm
<b>Physical Specifications</b>					
Printer dimensions (W x D x H) mm	400 x 483 x 340	379 x 513 x 379	418,1 x 513 x 404,3	902 x 559 x 483	500 x 520 x 410
Scanner dimensions (W x D x H) mm	498 x 365 x 275	570 x 430 x 190	845 x 521 x 305	560 x 790 x 230	570 x 430 x 190
Bundle dimensions (W x D x H) mm	498 x 579 x 689	570 x 660 x 715	686 x 737 x 1232	810 x 1270 x 810	NA
Weights (Printer/scanner/ bundle) Kg	16,82/5,3/26,3	18,2/7/40,8	20,4/11,8/121	52,7/28/142,90 Kg	36,6/7/40,6
<b>Reliability Specifications</b>					
Scanner duty cycle	2000 pages/month	10 000 pages/month	10 000 scans/month	10 000 scans/month	10 000 scans/month
Printer duty cycle	100 000 pages/month	120 000 pages/month	150 000 pages/month	250 000 pages/month	35 000 pages/month
Guarantee ****	1 year on site	1 year on site	1 year on site	1 year on site	1 year on site
Extended warranty ****	1,2,3 and 4 years on site available	1,2,3 and 4 years on site available	1,2,3 and 4 years on site available	1,2,3 and 4 years on site available	1,2,3 and 4 years on site available
Optional services	Complete installation and configuration Dedicated training courses	Complete installation and configuration Dedicated training courses	Complete installation and configuration Dedicated training courses	Complete installation and configuration Dedicated training courses	Complete installation and configuration Dedicated training courses

\* Contact Lexmark for availability information. \*\* Token Ring option available on request. \*\*\* Some functionalities are not supported under all OS please contact your local Lexmark reseller. \*\*\*\* Guarantee conditions may differ in certain countries

	<b>X750e</b>
<b>Technology</b>	<b>colour laser</b>
<b>Paper Supply</b>	
Standard (sheets)	2 x 500 sheet trays + 1 X 100 multipurpose tray
Maximum (sheets)	750 3100
Supported weights	60 to 176 g/m <sup>2</sup>
Supported standard sizes	A4, A5, JIS B5, Letter, Legal, Executive
<b>Output : Finishing</b>	
Standard paper output	250
Maximum paper output	3250 with finisher
<b>Finishing</b>	Optional finisher* (with specific configuration only)
<b>System Performance</b>	
System standard memory	
Hard disk	128 MB + 128 MB in scanner controller
System processor	Yes, Standard
<b>Connectivity / Network Management</b>	350 MHz + 350 MHz in scanner unit
Standard ports	
Optional ports	10/100Base Tx Ethernet and USB
<b>Operating system***</b>	Token Ring**, Local Talk, Serial, Infrared, Coax, Twinax, Fiber Optic
	Microsoft Win NT/95/98/2000/Me/XP
	Novell Netware, IBM OS/2, Unix, Linux, TCP/IP, MAC OS
<b>Network management software</b>	MarkVision Professional
<b>Embedded web server for configuration</b>	Yes
<b>Network Printing</b>	
Speed	Up to 20 ppm in colour and mono
Time to first print	< 20 sec.
Max resolution	2400 IQ, 1200 x 1200 dpi
Data streams	PSL3, PCL6
Duplex	Standard
Confidential print	Yes
Account tracking	No
Electronic collation	Yes
<b>Digital Copying</b>	
Speed	Up to 20 ppm
Time to first Copy	21 seconds
Copy select	1 to 999
Content selection	text/mixed/photo
Reduce/Enlarge	25% to 400%
Automatic duplex	1:1, 1:2, 2:1, 2:2
Multi-up copying	2-up, 4-up, portrait or landscape
Electronic collation	yes
Watermarks	draft, confidential, urgent, copy
<b>Fax Capabilities</b>	
Modem Speed	33.6 kb
Receive fax	yes
Receive to memory	yes
Send hard copy fax	Flatbed or ADF
Send soft copy fax	From the PS3 print driver
Send to fax server	yes
Memory send	yes
Group fax	yes
Shortcut keys	up to 9999 shortcuts
Selectable quality modes	standard, fine, super fine, extra fine
Retry	yes
Transmission and receive log	yes
Delayed send	Set time and date
<b>Automatic and customizable cover sheets</b>	Yes
<b>Scanning Capabilities</b>	
Scan to FTP server	yes
Scan to e-mail	yes
Scan to workstation	yes
LDAP integration	Directly on the panel
Lexmark Document Distributor	Yes (LDD 2.0 or greater), sold separately
Custom scan profiles	Yes
Shortcut keys	up to 9999 shortcuts
File formats	JPEG, Multi-Page TIFF, PDF, PostScript
<b>Scanner Functional Specifications</b>	
Scanner type	Single-pass duplex colour
Scanning speed (mono / colour)	23/14 simplex, 44/22 duplex
Maximum optical resolution	300 x 300 dpi
Document feeding mode	Flatbed and ADF built-in
ADF capacity	50 sheets
<b>Original document size:</b>	
- ADF minimum (mm)	140 x 140
- ADF maximum (mm)	216 x 355
- Flatbed maximum (mm)	210 x 297 (A4)
<b>Original document thickness</b>	up to 120 g/m <sup>2</sup>
<b>Physical Specifications</b>	
Printer dimensions (W x D x H) mm	604,4 x 470,9 x 734,6
Scanner dimensions (W x D x H) mm	845 x 521 x 305
Bundle dimensions (W x D x H) mm	673 x 610 x 1295
Weights (Printer/scanner/ bundle) Kg	58,9/11,8/87,5
<b>Reliability Specifications</b>	
Scanner duty cycle	10 000 scans/month
Printer duty cycle	60 000 pages/month
Guarantee ****	1 year on site
Extended warranty ****	1,2,3 and 4 years on site available
Optional services	Complete installation and configuration Dedicated training courses

	<b>X73</b>	<b>X83</b>
<b>Technology</b>	<b>Thermal Inkjet</b>	<b>Thermal Inkjet</b>
<b>Printing capabilities</b>		
<b>processor</b>	32 bit controller, 12 MHz	32 bit controller, 12 MHz
<b>speed max in black/colour (ppm)</b>	10/5	12/6
<b>format</b>	Letter, Legal, B5, A4, Exec, A5, A6, Postcard and Photo (4x6), Index Card (3x5), Hagaki Card, Custom Size (8.5 x 17" max area) Envelopes: 6 3/4, 7 3/4, 9, 10, DL, C5, C6, B5, Baronial 5.5, Baronial A2	Letter, Legal, B5, A4, Exec, A5, A6, Postcard and Photo (4x6), Index Card (3x5), Hagaki Card, Custom Size (8.5 x 17" max area) Envelopes: 6 3/4, 7 3/4, 9, 10, DL, C5, C6, B5, Baronial 5.5, Baronial A2
<b>Resolution</b>	2400 x 1200 dpi	2400 x 1200 dpi
<b>Paper input std/max</b>	up to 100 sheet	up to 100 sheet
<b>Paper output std/max</b>	up to 50 sheets	up to 50 sheets
<b>Memory std/max</b>	528 KB	8.5 MB
<b>Connectivity</b>	USB	USB
<b>Included software</b>	Scan & Copy control program, Photo Edition Software, OCR software, Fax software (Windows only), Twain driver (Windows only)	Scan & Copy control program, Photo Edition Software, OCR software, Fax software (Windows only), Twain driver (Windows only)
<b>Compatibility</b>	Win 98, Me, 2000, XP Mac OS 8.6, 9.x, 10.0, 10.1	Win 98, Me, 2000, XP Mac OS 8.6, 9.x, 10.0, 10.1
<b>Digital copying</b>		
	Via PC	Standalone
<b>Resolution</b>	2400 x 1200 dpi	2400 x 1200 dpi
<b>Copier memory</b>	16 KB	8 MB
<b>Speed</b>	Copies through PC up to 9 pages per minute in black and 3 pages per minute in colour.	Copies up to 10 pages per minute in black and 3 pages per minute in colour.
<b>Copy select</b>	1-99 (selectable via PC)	1-99
<b>Supported paper weights</b>	up to 270g/m <sup>2</sup>	up to 270g/m <sup>2</sup>
<b>ADF capacity</b>	no ADF	no ADF
<b>Finishing</b>	Collation, Handouts, Booklet, Poster	Collation, Handouts, Booklet, Poster
<b>Reduce/enlarge</b>	25% - 400%	25% - 400%
<b>Duplex</b>	no	no
<b>Fax capabilities</b>		
	Via PC only	Via PC only
<b>Scanning capabilities</b>		
<b>scan to PC</b>	yes	yes
<b>Network scan</b>	no	no
<b>Scan to e-mail</b>	yes	yes
<b>Scan to FTP server</b>	no	no
<b>Scan to fax</b>	yes	yes
<b>Scanner Functional Specifications</b>		
<b>Scanner type</b>	CCD	CCD
<b>Maximum optical resolution</b>	600 x 1200 dpi - 9600 x 9600 dpi interpolated	600 x 1200 dpi - 19200 x 19200 dpi interpolated
<b>Document feeding mode</b>	Manual	Manual
<b>Original document size:</b>		
- ADF minimum (mm)	216 x 292 mm max	216 x 292 mm max
- ADF maximum (mm)	no ADF	no ADF
- ADF maximum (mm)	no ADF	no ADF
<b>Original document thickness</b>	any thickness	any thickness
<b>Physical Specifications</b>		
<b>Printer dimensions (W x D x H) mm</b>	460 x 360 x 270 mm	460 x 360 x 270 mm
<b>Scanner dimensions (W x D x H) mm</b>	scanner built in printer	scanner built in printer
<b>Weight Kg</b>	6.8 kg	6.8 kg
<b>Scanner duty cycle</b>	3000 pages / month	3000 pages / month
<b>Guarantee</b>	1 year	1 year
<b>Extended Guarantee</b>	up to 3 years	up to 3 years