



Print



Copy



Distribute



Fax



Affordable



Scan



Automate



On Site Service



Powerful, yet affordable features integrated into one compact multifunction device to save you money and space

Easy-to-use, intuitive interface for increased productivity

Eliminate long distance fax charges by scanning directly to email

Compatible with the optional Lexmark Document Distributor for robust routing, indexing and archiving capabilities

Lexmark

X630



Lexmark X630



Lexmark X630
with optional drawers

Affordable

The Lexmark X630 MFP incorporates print, copy, fax and color network scan capabilities into one device at a very affordable price. The Lexmark X630 MFP consolidates supplies for print, copy and fax. Duplex printing and multi-up capabilities save paper. Powerful, yet affordable features integrated into one compact multifunction device to save you money and space.

Easy to use

The Lexmark X630 MFP has an intuitive, easy-to-use interface to increase productivity. Users seldom wait for print jobs with this high performance, up to 35 ppm, network multifunction solution. Now you can handle complex, demanding jobs with the ease-of-use and image quality you expect in a digital device. You can scan your documents and fax or email them wherever you want, for walk-up or anytime use.

Network proven

Like all Lexmark business-class printers, the Lexmark X630 MFP is network proven with outstanding compatibility and reliability. With standard 10/100BaseTX Ethernet to provide easy network connections and high performance throughout, and a broad datastream and network protocol support to ensure compatibility with existing systems.

Document workflow solutions

The Lexmark X630 MFP also works with Lexmark Document Distributor software that allows you to implement customized document workflow solutions. Lexmark Document Distributor eliminates manual, time-consuming workflow processes by automating your most complex document workflow problems. Robust routing, indexing and archiving capabilities are achieved with simplicity and accuracy.

The fast, reliable and affordable X630 MFP meets the needs of the small workgroup.

Lexmark X630	
Part Number	US 20R0050 Canada 20R0051
Technology	Monochrome Laser
Speed	Up to 35 ppm
Resolution	1200 x 1200 dpi, 1200 image quality, 600 x 600 dpi, 300 x 300 dpi
Processor	300 MHz
Memory (std./max.)	64MB/320MB
Connectivity	Standard: 10/100BaseTX Ethernet, USB, and IEEE 1284 Parallel Optional: Token ring*
Operating Systems	Microsoft Windows 95/98, Me, NT, 2000, XP, Server 2003, Novell, Linux, MacOS 8.6/9.x, MacOS X and Unix Network management software: MarkVision Professional
Compatibility	PostScript 3 emulation standard, PCL 6 emulation standard, PPDS Migration tool, PDF v1.2/v1.3 emulation
Paper Capacity Standard (in/out) Maximum (in/out)	350/250 3,850/2,750**
Paper Options	Input: 250-sheet drawer, 500-sheet drawer, 2,000-sheet drawer, Envelope feeder Output: 250-sheet output bin
Paper Sources Standard (in/out) Maximum (in/out)	2/1 7/2**
Media Types	Plain paper, bond, envelopes, card stock, transparencies, paper labels, dual-web labels, polyester labels, vinyl labels
Media Sizes	Letter, legal, A5, JIS B5, statement, executive and folio
Media Weights	Plain paper: 16 to 47 lb. (60 to 176 g/m ²) Card stock: up to 110 lb. Index (199 g/m ²)
Digital Copying	Speed: 35 cpm*** Copy select: 1-999 Reduce/enlarge: 50% to 200% Multi-up copying
Fax Capabilities	Modem speed: 33.6 kbps Receive fax, receive to memory Send hard copy fax: Flatbed or ADF Send soft copy fax: From the PS3 print driver Send fax to server, memory send, group fax Shortcut keys: up to 245 shortcuts Selectable quality modes: Standard, fine, super fine, ultra fine Retry, transmission and receive log
Scanning Capabilities	Scan to FTP server, scan to email, scan to workstation Customer scan profiles Shortcut keys: up to 245 shortcuts File formats: JPEG, TIFF, PDF, PS2
Scanner Function Specifications	Scanner type: Simplex color Scanning speed: 15/14 ppm mono/color Maximum optical resolution: 600 x 600 dpi Document feeding mode: Flatbed and ADF built-in ADF capacity: 25 sheets Original document size: - ADF minimum 4.5 x 5.5 (in), 114 x 140 (mm) - ADF maximum 8.5 x 14 (in), 216 x 355 (mm) - Flatbed maximum 8.5 x 11 (in), 210 x 297 (mm) Original document thickness: 16 lb to 32 lb
Size/Weight	T630n: 16.6" x 19.6" x 13.6" (W x D x H) (421 mm x 498 mm x 345 mm) 38 lb (17 kg) Scanner: 19.6" x 14.37" x 10.83" (W x D x H) (498 mm x 365 mm x 275 mm) 11.7 lb (5.3 kg) Bundle: 20" x 23" x 27.6" (W x D x H) (508 mm x 584 mm x 701 mm) 52 lb (23.6 kg)
Printer Duty Cycle	Up to 175,000 pages per month
Warranty	1-year LexExpress sm
Optional Services	Complete installation and configuration, dedicated training courses

* Requires Ringdale Token-Ring to Ethernet bridge for full functionality in Token-Ring environment

** Output options cannot be used in conjunction with the scanner shelf

*** "Scan once, print many" operation

Order Information Chart

Part No.	UPC	Description
United States		
20R0050	7-34646-38344-8	Lexmark X630
Canada		
20R0051	7-34646-38345-5	Lexmark X630
SUPPLIES		
Print Cartridges		
12A7360	7-34646-11809-5	5,000-page Print Cartridge
12A7460	7-34646-11812-5	5,000-page Return Program Print Cartridge
12A7362	7-34646-11810-1	21,000-page High Yield Print Cartridge
12A7462	7-34646-11813-2	21,000-page High Yield Return Program Print Cartridge
12A7468	7-34646-11815-6	21,000-page High Yield Return Program Print Cartridge for Labels
Media		
70X7240	7-34646-03810-2	Transparencies (Letter)
OPTIONS AND FEATURES		
Paper Handling Options		
11K0681	7-34646-28600-8	250-Sheet Drawer
11K0688	7-34646-28601-5	500-Sheet Drawer
11K1059	7-34646-28609-1	250-Sheet Tray
11K1060	7-34646-28610-7	500-Sheet Tray
11K0718	7-34646-28602-2	2000-Sheet Drawer (Letter)
10G0800	7-34646-24997-3	T 250-Sheet Duplex Unit
11K0720	7-34646-28604-6	T Envelope Feeder
11K1878	7-34646-28626-8	250-Sheet Universally Adjustable Drawer
11K1574	7-34646-28625-1	250-Sheet Universally Adjustable Tray
11K1942	7-34646-39706-3	400-Sheet Universally Adjustable Drawer
11K1941	7-34646-39707-0	400-Sheet Universally Adjustable Tray

Part No.	UPC	Description
Memory Options		
16H0055	7-34646-24755-9	8MB SDRAM
16H0056	7-34646-24756-6	16MB SDRAM
16H0057	7-34646-24757-3	32MB SDRAM
16H0058	7-34646-24758-0	64MB SDRAM
16H0059	7-34646-24759-7	128MB SDRAM
11K4616	7-34646-12127-9	16MB Flash Card
11K4632	7-34646-12128-6	32MB Flash Card
11K4603	7-34646-12125-5	20+ GB Hard Disk with Adapter
APPLICATIONS SOLUTIONS		
Optra Forms Solutions		
11N0052	7-34646-20732-4	Optra Forms™ Director
11N0040	7-34646-20731-7	Optra Forms Software
11N0056	7-34646-30810-6	Optra Forms Manager
10G0748	7-34646-12146-0	Optra Forms 32MB Flash Card
10G0747	7-34646-12145-3	Optra Forms 16MB Flash Card
43H5841	7-34646-17041-3	Optra Forms 2-Key Security
43H5842	7-34646-17042-0	Optra Forms 3-Key Security
10G0749	7-34646-12147-7	Optra Forms 20+ GB Hard Disk with Adapter
Other Options		
10G0155	7-34646-12137-8	T630/T632 ImageQuick™ Card
10G0156	7-34646-12138-5	T630/T632 Bar Code Card
10G0157	7-34646-12139-2	T630/T632 Card for IPDS and SCS/TNe
10G0158	7-34646-12140-8	T630/T632 PrintCryption™ Card
MULTIFUNCTION SOLUTIONS		
Furniture		
16C0379	7-34646-12084-5	Low Profile Printer Stand
16C0369	7-34646-12083-8	Printer Stand with Cabinet
16C0389	7-34646-12085-2	Printer Stand
16C0399	7-34646-12086-9	Scanner Stand with Cabinet
16A0503	7-34646-26665-9	T630 Scanner Shelf



Lexmark 3100 MFP Option

